

TactiCath™ Contact Force

Ablation Catheter,
Sensor Enabled™

Product Highlights

- Fully integrated with the EnSite Precision™ Cardiac Mapping System and MediGuide™ Technology
- Gain additional reach by using a bi-directional handle with both symmetric and asymmetric curves, or select a uni-directional option
- Fast, easy setup and enhanced workflow is obtained through an intuitive display of CF data
- CF parameters:
 - FTI™ – Force Time Integral parameter measured in real-time during catheter ablation procedures
 - LSI™ – Lesion Index combining contact force, radiofrequency (RF) application duration, and RF current
- Fiber optic contact force technology that provides superior accuracy and reliable readings
- Requires TactiSys™ Quartz equipment and EnSite™ Contact Force Module software

Ordering Information

Open-irrigated 8 F ablation catheter

REORDER NUMBER	DESCRIPTION	CURVE	FRENCH SIZE	ELECTRODE SPACING (MM)	TIP ELECTRODE (MM)	LENGTH (CM)
A-TCSE-DF	Bi-D Irrigated Ablation Catheter	D-F	8	2-2-2	3.5	115
A-TCSE-FJ	Bi-D Irrigated Ablation Catheter	F-J	8	2-2-2	3.5	115
A-TCSE-D	Uni-D Irrigated Ablation Catheter	D	8	2-2-2	3.5	115
A-TCSE-F	Uni-D Irrigated Ablation Catheter	F	8	2-2-2	3.5	115
A-TCSE-J	Uni-D Irrigated Ablation Catheter	J	8	2-2-2	3.5	115

